

International Journal of Audiology

Volume 41

Number 6

Contents

Original Articles

- Speech recognition threshold in slightly and fully modulated noise
for hearing-impaired subjects 321
Björn Hagerman
- Accuracy of cortical evoked response audiometry in the identification
of non-organic hearing loss 330
Betty Tsui, Lena L. N. Wong and Eddie C. M. Wong
- Age effects and normative data on a Dutch test battery for auditory
processing disorders 334
*Karin Neijenhuis, Ad Snik, Gertrude Priester, Sanne van Kordenoord
and Paul van den Broek*
- Cochlear implants in children with craniofacial syndromes:
assessment and outcomes 347
*B. M. MacArdle, C. M. Bailey, P. D. Phelps, J. Bradley, T. Brown
and A. Wheeler*
- Comparison of an 'intuitive' NHS hearing aid prescription method with
DSL 4.1 targets for amplification 357
Jonathan O. Parsons and Charles R. Clark
- Intratympanic gentamicin in Menière's disease: the impact on tinnitus 363
Sertac Yetiser and Mustafa Kertmen

Letters to the Editor

- International technical standards: whose problem is it? 371
Michael C. Martin
- International technical standards: whose problem is it?
Response to M. C. Martin 374
Brian C. J. Moore, Michael A. Stone and Jose I. Alcántara

Book Review

- Hearing Aids. Dillon H. 375
Graham Sutton